



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Maharashtra)

To,

The Vice President
IMPERIAL INFRADEVELOPERS PRIVATE LIMITED
702, natraj, MV Road,Junction, WEH,Andheri East, Mumbai -400069

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/291021/2022 dated 01 Sep 2022. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|---|
| 1. EC Identification No. | EC23B000MH167469 |
| 2. File No. | SIA/MH/MIS/291021/2022 |
| 3. Project Type | New |
| 4. Category | B2 |
| 5. Project/Activity including Schedule No. | N/A |
| 6. Name of Project | Proposed development under Reg. 33(11) of DCPR 2034 on plot bearing CTS no. 895 of village Bandra-B, at Byramji Jeejeebhoy road, Bandra (West), in H/W ward, Mumbai.by M/s Imperial Infradevelopers Pvt. Ltd. |
| 7. Name of Company/Organization | IMPERIAL INFRADEVELOPERS PRIVATE LIMITED |
| 8. Location of Project | Maharashtra |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 06/06/2023

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (Maharashtra)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/291021/2022
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To

M/s. Imperial Infradevelopers Pvt. Ltd.,
CTS no. 895 of village Bandra-B,
Byramji Jeejeebhoy road, Bandra (West),
in H/W ward, Mumbai

Subject : Environmental Clearance for Proposed development under Reg. 33(11) of DCPR 2034 on plot bearing CTS no. 895 of village Bandra-B, at Byramji Jeejeebhoy road, Bandra (West), in H/W ward, Mumbai by M/s. Imperial Infradevelopers Pvt. Ltd.

Reference : Application no. SIA/MH/MIS/291021/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 199th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 260th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 02.05.2023.

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details	
1	Proposal Number	SIA/MH/MIS/291021/2022	
2	Name of Project	Proposed Building for S. R Scheme under Reg. 33(11) of DCPR 2034 on plot bearing CTS no. 895 of village Bandra-B, at Byramji Jeejeebhoy road, Bandra (West), in H/W ward, Mumbai by M/S IMPERIAL INFRADEVELOPERS PVT. LTD.	
3	Project category	8(a), B2	
4	Type of Institution	Private	
5	Project Proponent	Name	Manish D Savant
		Regd. Office address	702, natraj, MV Road,Juction, WEH,Andheri East, Mumbai,,Mumbai (Suburban),Maharashtra,4000 69
		Contact number	9870064404
		e-mail	chandresh@rustomjee.com
6	Consultant	Enviro Analysts & Engineers Pvt. Ltd., NABET/EIA/2023/RA 0206, Validity: 13.05.2023	

7	Applied for	New					
8	Location of the project	plot bearing CTS no. 895 of village Bandra-B					
9	Latitude and Longitude	Latitude: 29°2'41.23"N Longitude: 72°49'12.11 "E					
10	Plot Area (sq.m.)	4248.40 m2					
11	Deductions (sq.m.)	0.00 sqm					
12	Net Plot area (sq.m.)	4248.40 m2					
13	Ground coverage (m ²) & %	3,210.00 sqm (75%)					
14	FSI Area (sq.m.)	22,936.68 Sq. m					
15	Non-FSI (sq.m.)	32,259.00 Sq. m					
16	Proposed built-up area (FSI+ Non FSI) (sq.m.)	55,195.68 Sq. m					
17	TBUA (m ²) approved by Planning Authority till date	22,936.68 Sq. m LOI dated 12.07.2022					
18	Earlier EC details with Total Construction area, if any.	NA					
19	Construction completed as per earlier EC (FSI + Non FSI) (sq.m.)	NA					
20	Previous EC / Existing Building	Proposed Configuration				Reason for Modification / Change	
	Buildi ng Name	Configurat ion	Heig ht (m)	Building Name	Configurati on	Height (m)	
				1 no. Building	3 Basements + Ground /Stilt Floor +1st & 2nd Podiums +Service lvl -1+ Club House /Fitness Center lvl 1&2 + Service lvl - 2+1 st to 19 th upper Floors (for Residential units) + Part 20 th floor (residential & part Terrace) + Terrace for	103.65 m	NA

					Swimming Pool			
21	No. of Tenements & Shops	34 flats 2 Amenity Total- 36 nos.						
22	Total Population	426 Nos. including Club house+ floating population+ amenity						
23	Total Water Requirements CMD	Domestic –30 KLD Flushing-16 KLD RG-5 KLD Total -51 KLD						
24	Under Ground Tank (UGT) location	Basement 1 with manhole 1.5 m below ground floor						
25	Source of water	MCGM						
26	STP Capacity & Technology	45 KLD capacity of STP Proposed for MBBR Technology						
27	STP Location	Ground and basement 1 & 2 STP area- 35 sqm, Cut out area- 14 sqm						
28	Sewage Generation CMD & % of sewage discharge in sewer line	40 m ³ /day Sewage Generation &35% sewage will discharge in sewer line						
29	Solid Waste Management during Construction Phase	Type	Quantity (Kg/d)	Treatment / disposal				
		Dry waste	20 kg/day	Will be handed over to a recycler				
		Wet waste	30 kg/day	Handed over to municipal waste collector				
		Construction waste	Top Soil	700 cum	Top soil will be preserved for landscaping			
			Excavation Material	37000 Cum.	10% will be used on site for refiling and internal road. The remaining quantity Will be transported in covered vehicle to the designated site permitted in Debris NOC. following the			

				debris management plan and C and D rules 2016.
			Empty Cement bags	15000 bags. Mostly RMC plant will be used. But for finishing of internal walls cement bags will be required. Empty bags to be handed over to recycle
			Scrap metal generated	3 tons 100 % to be sold for recycling.
			Aggregates	10 MT Will be used for boundary wall, will be used for internal roads etc.
			Broken Tiles	1250 Sq. m Waste tiles to be used for skirting. Broken pieces to be used for china mosaic waterproofing of terraces.
			Empty Paint Cans (20 liter/can)	750 Nos. To be handed over to local recyclers
30	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed	Type	Quantity (Kg/d)	Treatment / disposal
		Dry waste	81	Will be handed over to a recycler
		Wet waste	93	Composting by OWC-manure produced will be used at a site for landscaping, 1 OWC of total Capacity – 125 kg/day
		E-Waste	136	Will be collected and

			kg/annum	sent to MPCB authorized recyclers.										
		STP Sludge (dry)	2 KLD	Dry sewage sludge will be used as manure for gardening.										
31	R.G. Area in sq.m.	<p>RG area required (20 % of net plot area): 849.68 sq. m. RG provided (32 % of net plot area)- 1349.28 sqm RG provided on Podium (28%) -1168.24 sqm RG provided on ground (4%) -181.04 sqm Non-paved-83.04 sqm Paved-98.00 sqm</p> <p>Existing trees on plot:45 nos.</p> <p>Number of trees to be planted: In RG area: 307 + 90 shrubs along the plot boundary On podium- 83 nos. trees In Miyawaki Plantation (with area); 270 nos. in 90 sqm Canopy +Tree + sub tree = 270 nos. +Shrubs- 90 nos. 649 nos. of total trees.</p> <p>Number of trees to be cut: 7 Nos. will be cut as per Tree noc (tree act 2021)</p> <p>Number of trees to be transplanted:23 Nos. will be transplanted as per Tree noc (tree act 2021)</p>												
32	Power requirement	<p>During Operation Phase: Connected Load: 4579 KW Maximum Demand: 1775 KW</p>												
33	Energy Efficiency	<p>a) Total Energy saving (%):26% b) Solar energy (%):5%</p>												
34	D.G. set capacity	1 x 750 KVA												
35	No. of 4-W & 2-W Parking with 25% EV	<p>4-wheeler: 160 Nos. 2-wheeler Provided: 40 Nos.</p>												
36	No. & capacity of Rain water harvesting tanks /Pits	1 x 90 cum 2 day holding capacity												
37	Project Cost in (Cr.)	400.98 Cr												
38	EMP Cost	<table border="1"> <thead> <tr> <th>Sr. No</th> <th>Attributes</th> <th>Details</th> <th>Setting-up Cost (Rs Lakhs)</th> <th>Cost (in Rs. Lacs/annum)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Air Environment</td> <td>Water Sprinkling, Green Belt Development, Covered storage area</td> <td>3.00</td> <td>10.45</td> </tr> </tbody> </table>	Sr. No	Attributes	Details	Setting-up Cost (Rs Lakhs)	Cost (in Rs. Lacs/annum)	1	Air Environment	Water Sprinkling, Green Belt Development, Covered storage area	3.00	10.45		
Sr. No	Attributes	Details	Setting-up Cost (Rs Lakhs)	Cost (in Rs. Lacs/annum)										
1	Air Environment	Water Sprinkling, Green Belt Development, Covered storage area	3.00	10.45										

		Dust suppressing machine		
2	Noise Environment	Noise Barricades and Green Belt Developments	4.5	8
3	Water Environment	Mobile STP, Drainage with sedimentation tanks	5.6	15
4	Good Health Practices	Site Sanitation & Health Care	1.59	15
5	Environment Monitoring	Air, water, noise soil monitoring during construction phase	1.50	1.5
	TOTAL		16.19	49.95

Sr no	Method Adopted	Setting-up Cost (Rs Lakhs)
1	Rain water harvesting	9.6
2	SWM	7
3	STP	7.65
4	Energy System including Solar PV on terrace, LED, VFD, Electrical charging points, High Reflective materials, CO2 sensors, highly efficient pumps & motors etc	30.84
5	Landscaping	35
6	LFD	35
7	DMP	292
8	Basement air cleaning	6
9	Basement dewatering	2

		Total	425.09
		Sr no	Method Adopted
			O&M cost /annum (in Rs. Lacs)
		1	Rain water harvesting
		2	SWM
		3	STP including corpus fund for PTC bldg.
		4	Energy System including Solar PV on terrace, LED, VFD, Electrical charging points, High Reflective materials, CO2 sensors, highly efficient pumps & motors etc
		5	Landscaping
		6	LFD
		7	DMP
		8	Basement air cleaning
		9	Basement dewatering
		Total	38.88
39	CER Details with justification if any....as per MoEF & CC circular dated 01/05/2018	OM dated 30.9.2020 U/n F.No- 22-65/2017.IA.III supersedes earlier OM under even number dated 1st May, 2018 regarding guidelines in respect to CER	
40	Details of Court Cases/litigations w.r.t the project and project location, if any.	NA	

3. The proposal has been considered by SEIAA in its 260th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
2. PP to obtain following NOCs & remarks:
 - a) Water supply; b) Sewer connection; c) SWD NOC; d) Tree NOC; e) CRZ NOC.
3. PP to submit wind and shadow analysis report.

4. PP to use approved filters in basement ventilation and air cleaning system in the project.
5. PP to submit cross section of roads at four places showing clear road width, side margins provided from building line/compound wall etc. for services like drainage lines, plantation, parking etc.
6. PP to provide clear 1.5 Mtr. strip of RG without any obstruction and services in it; PP to submit architect certificate mentioning that % of RG provided on ground and podium is as per DCPR norms with adequate length & width ratio.
7. PP to submit details of 259 nos. of tree plantation proposed outside the project site & include the cost of same in EMP.
8. PP to maintain 1.5 Mtr. distance between DG set & Substation.
9. PP to submit revised energy calculations by considering only non-shaded area of terrace.; PP to achieve minimum 5% energy saving from renewable energy.
10. PP to submit architect certificate mentioning that they had submitted same proposal for EC & CRZ clearance.

B. SEIAA Conditions-

1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
4. SEIAA after deliberation decided to grant EC for – FSI- 17280.68 m², Non FSI- 28485.34 m², Total BUA-45766.02 m². (Plan approval No-W/PVT/0095/20220421/AP/S, dated-12.08.2022)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be

ensured.

- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed

- outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
 - III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
 - IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
 - V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
 - VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
 - VII. PP to provide adequate electric charging points for electric vehicles (EVs).
 - VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
 - XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
 - XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same

periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without

any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Mumbai Suburban.
Commissioner, Municipal Corporation of Greater Mumbai.
6. Regional Officer, Maharashtra Pollution Control Board, Mumbai.